

Model Results - To be Transferred to the Report (SQ.FT refers to the total Windows Area)

	DMO - Vintage						DMO-New						SFM-Vintage						SFM-New						MFM-Vintage						MFM-New					
	kWh/ft2	kWh/ft2	therms/ft2	therms/ft2	kWh/ft2	therms/ft2	kWh/ft2	kWh/ft2	therms/ft2	therms/ft2	kWh/ft2	therms/ft2	kWh/ft2	kWh/ft2	therms/ft2	therms/ft2	kWh/ft2	therms/ft2	kWh/ft2	kWh/ft2	therms/ft2	therms/ft2	kWh/ft2	therms/ft2	kWh/ft2	kWh/ft2	therms/ft2	therms/ft2	kWh/ft2	therms/ft2	kWh/ft2	kWh/ft2	therms/ft2	therms/ft2	kWh/ft2	therms/ft2
CZ	Base	Measur	Base	Measure	Savings	Savings	Base	Measur	Base	Measure	Savings	Savings	Base	Measur	Base	Measure	Savings	Savings	Base	Measur	Base	Measure	Savings	Savings	Base	Measur	Base	Measure	Savings	Savings	Base	Measur	Base	Measure	Savings	Savings
CZ01	24.77	23.94	2.28	2.09	0.83	0.18	23.89	23.31	1.94	1.96	0.58	(0.02)	29.37	29.11	1.83	1.60	0.26	0.23	29.12	29.01	1.39	1.27	0.11	0.12	16.95	16.26	2.21	2.01	0.69	0.20	16.10	16.26	2.10	2.01	(0.16)	0.09
CZ02	29.23	25.92	2.63	2.55	3.31	0.08	26.23	24.60	2.18	2.29	1.63	(0.11)	32.49	31.08	2.34	2.19	1.41	0.15	30.12	29.80	1.42	1.43	0.32	(0.01)	18.50	17.91	2.26	2.14	0.59	0.12	16.77	16.79	2.14	2.05	(0.02)	0.09
CZ03	33.93	29.42	2.32	2.11	4.51	0.21	29.22	26.98	2.00	1.99	2.24	0.00	33.97	33.11	1.95	1.78	0.86	0.18	30.30	29.98	1.23	1.26	0.32	(0.03)	19.58	17.98	2.33	2.06	1.60	0.27	17.02	17.25	2.19	2.09	(0.23)	0.11
CZ04	31.58	29.60	2.29	2.08	1.98	0.21	28.43	27.28	1.97	1.97	1.15	(0.00)	33.54	32.99	1.95	1.78	0.55	0.17	30.90	30.49	1.21	1.25	0.41	(0.04)	19.58	17.56	2.30	2.02	2.02	0.28	17.12	17.15	2.13	2.04	(0.02)	0.10
CZ05	32.44	28.91	2.37	2.17	3.52	0.20	28.22	26.65	2.03	2.03	1.57	(0.01)	34.02	33.09	2.01	1.83	0.94	0.18	30.38	30.04	1.21	1.25	0.34	(0.04)	19.45	17.80	2.36	2.07	1.65	0.29	16.88	17.11	2.20	2.09	(0.23)	0.11
CZ06	37.08	32.28	2.03	1.95	4.81	0.08	32.58	28.99	1.88	1.90	3.59	(0.02)	34.19	32.40	1.54	1.49	1.78	0.05	32.49	31.75	1.09	1.08	0.73	0.01	19.60	18.60	2.16	2.10	1.00	0.06	17.35	17.71	2.04	2.00	(0.35)	0.04
CZ07	34.90	31.53	1.97	1.91	3.37	0.06	31.23	28.56	1.86	1.88	2.68	(0.02)	33.41	32.12	1.51	1.44	1.29	0.07	32.37	31.59	1.06	1.05	0.78	0.02	19.00	18.39	2.11	2.06	0.61	0.05	17.27	17.57	2.02	1.99	(0.30)	0.03
CZ08	37.37	33.26	1.97	1.89	4.11	0.07	32.91	29.93	1.84	1.86	2.98	(0.02)	35.71	33.80	1.50	1.42	1.91	0.09	32.46	31.57	1.03	1.02	0.89	0.01	20.65	19.62	2.14	2.08	1.03	0.06	17.70	18.00	2.05	2.00	(0.30)	0.05
CZ09	43.72	38.32	2.07	1.99	5.40	0.08	37.14	33.47	1.89	1.91	3.68	(0.02)	38.63	36.04	1.62	1.52	2.59	0.10	35.17	33.92	1.03	1.02	1.25	0.01	22.25	20.96	2.17	2.10	1.29	0.07	18.35	18.73	2.08	2.02	(0.39)	0.06
CZ10	42.02	36.63	2.53	2.35	5.39	0.18	35.55	32.58	2.10	2.16	2.97	(0.06)	39.28	37.42	1.52	1.41	1.86	0.11	34.18	32.88	1.15	1.12	1.30	0.03	22.69	21.31	2.16	2.09	1.38	0.08	19.15	19.24	2.08	2.02	(0.09)	0.07
CZ11	48.21	42.11	3.02	2.73	6.10	0.29	39.29	36.26	2.38	2.45	3.03	(0.07)	45.60	42.49	2.27	2.04	3.11	0.23	38.28	36.26	1.59	1.49	2.01	0.09	25.04	23.27	2.25	2.13	1.77	0.12	20.56	20.36	2.15	2.04	0.19	0.11
CZ12	42.42	37.37	2.95	2.69	5.05	0.25	35.32	32.58	2.37	2.44	2.74	(0.07)	40.35	38.07	2.20	2.02	2.28	0.18	34.69	33.19	1.61	1.54	1.50	0.07	21.24	19.79	2.27	2.17	1.45	0.09	18.15	18.17	2.18	2.08	(0.02)	0.10
CZ13	51.71	45.19	2.70	2.50	6.51	0.20	41.94	38.57	2.24	2.30	3.37	(0.06)	52.32	48.22	2.21	2.00	4.10	0.21	40.35	38.04	1.42	1.34	2.30	0.08	27.16	25.13	2.39	2.28	2.03	0.11	21.62	21.43	2.18	2.08	0.19	0.09
CZ14	53.64	46.14	3.30	2.96	7.50	0.33	42.73	39.40	2.49	2.59	3.33	(0.10)	49.56	46.36	2.13	1.90	3.20	0.23	41.15	39.01	1.38	1.32	2.13	0.06	26.02	23.87	2.21	2.11	2.15	0.09	21.32	20.98	2.12	2.02	0.33	0.09
CZ15	70.15	60.15	2.21	2.08	10.00	0.13	54.57	50.03	1.92	1.94	4.54	(0.02)	68.38	61.79	1.40	1.29	6.60	0.12	49.86	46.50	1.11	1.08	3.37	0.03	34.09	30.65	2.10	2.05	3.44	0.05	26.40	25.73	2.04	2.00	0.67	0.04
CZ16	45.26	40.35	2.65	2.32	4.91	0.32	36.76	34.74	2.16	2.17	2.03	(0.01)	42.08	41.32	1.77	1.57	0.76	0.20	35.76	35.34	1.35	1.24	0.42	0.11	23.64	22.79	2.46	2.24	0.85	0.22	19.49	20.13	2.31	2.12	(0.64)	0.20